The state of Web Accessibility in 2025

Teodora Chiosa

Zbor Hub, Iaşi, January 2025

Note: a11y = accessibility = a + 11 letters + y



Teodora Chiosa

- Frontend Developer (8 years)
- Accessibility Enthusiast (5 years)
- Past: Designer & Business Analyst

What if .

you experienced the web like this?

Using a screen reader via keyboard (TAB key)

```
document
link button ISTORIC
ISTORIC button link
ISTORIC button link
Bară radio button checked 8 of 12
clickable 15
list with 5 items 1 link
3 link
link
```

Looking up a list of headings

Filtrare Candidat Fișiere

Stumbling upon various elements in the page...

Bară clickable radio button Cerc clickable radio button Suprafață clickable

Do you think item "clickable" is important?



România Străinătate

Prezență la vot


Prezență


Statistici


M Hartă

Procese-verbale

Rezultate







Would you be able to...

- check the weather
- shop online
- buy a plane ticket
- check your bank balance
- enjoy watching a movie
- find any information online without help?

This experience is a reality for a person with visual impairments

"An estimated **1.3 billion** people experience significant disability. This represents **1 in 6** of us."

World Health Organization - Disability

Types of disabilities






What Would You like me to 19th Century Architecture













Types of disabilities

- Visual
- Auditory
- **3** Physical/Motor
- Multiple
- Cognitive/Neurological Invisible
 e.g. ADHD, dyslexia, dyspraxia, autism, learning disabilities


What is Web Accessibility?

What is Web Accessibility?

Making sure that websites & web tools are created so that they can be used by people with disabilities


Most of the web is broken!

95.9% of top 1 million home pages had accessibility errors in 2024* - WebAIM



95.9% of top 1 million home pages had accessibility errors in 2024* - WebAIM

* detected by automated tools




At best, an automated accessibility tool can detect 40% of the issues.

Study by GOV.uk

Most common a11y failures in 2024 - WebAIM

(bar chart view)



Most common a11y failures in 2024 - WebAIM (table view)

Failure Type	% of home pages
Low contrast text	81.0%
Missing alternative text for images	54.5%
Missing form input labels	48.6%
Empty links	44.6%
Empty buttons	28.2%
Missing document language	17.1%

These most common errors have been the same for the last **5 years**...

How to make the web more accessible?

Involve, not only the entire *team*, but the entire *organization*

Web accessibility as a solo effort is doomed to fail.

Shift left

From:

Requirements \rightarrow Design \rightarrow Development \rightarrow Testing \rightarrow a11y

To:

Accessibility standards applied for all stages of software development

a11y Requirements \rightarrow a11y Design \rightarrow a11y Development \rightarrow a11y Testing



Prepare a business case

and present it to the higher ups

"We don't have disabled clients"


- Invisible disabilities exist
- How could they use your product if it's not accessible in the first place?
- You're losing new clients to competition

"We don't have the budget"

- We can start small and inexpensive
- We should build new projects with accessibility from the get-go

"It's only for a minority of my clients"

- People develop disabilities as they get older (e.g. glaucoma, Parkinson's)
- Accessibility improves the experience for everyone!
- Temporary & situational disabilities exist



Accessibility improves the experience for *everyone*

Microsoft Inclusive Design

"It's not a priority"

- It's illegal and you will likely be sued
 - **EU Public sector law** government services
 - Directive 2016/2102 → EN 301 549 → WCAG (Web Content Accessibility Guidelines) 2.1 AA
 - Effective September 2020
 - EU Private sector law operating systems, ecommerce, phones, ATMs, banking services etc.
 - Directive 2019/882
 - Effective June 2025

WCAG Principles:


- Perceivable
- Operable
- Understandable
- Robust

"I can buy a product to fix it"

- "One click solutions" / A11y overlays are a scam
 - Only fix *some* issues related to color contrast, font-size, mouse interaction
 - A11y experts are trying to warn businesses against using overlays - <u>overlayfactsheet.com</u>
 - "AccessiBe" sued in January 2025 for misleading advertising



STARTUPS



FTC orders Al accessibility startup accessiBe to pay \$1M for misleading advertising

Kyle Wiggers 10:46 AM PST · January 3, 2025

The U.S. Federal Trade Commission has fined accessiBe, a startup that claims to make websites more compatible with the screen readers blind people rely on to access the internet, for false advertising and compensating reviewers without disclosing that it sponsored the reviews.

In a proposed order, the FTC would require accessiBe to pay \$1 million that may be used to refund the company's customers, and prohibit accessiBe from overstating the capabilities of its tools. The order would also mandate that accessiBe "clearly and conspicuously" highlight connections to

"Al is gonna fix it"

- AI can help describe images, but can only guess the context
- AI is biased, trained on inaccessible code
 - Ned Block How to show ChatGPT is dumb





Here is the image of an analog clock showing the time 8:30. Let me know if you'd like any adjustments!

generate an image of 2 clocks showing 8:30





Message ChatGPT







give me the code for an accessible button




Here's an example of an accessible button in HTML with a focus on meeting accessibility standards, including ARIA roles and best practices:

```
html

cbutton type="button"
    aria-label="Submit Form"
    class="accessible-button">
    Submit
</button>
```

Explanation:

- 1. <button> element:
 - The <button> tag is inherently keyboard and screen-reader accessible.
 - It's better than <div> or for buttons because it includes native accessibility features.
- 2. aria-label:
 - Use aria-label to provide an accessible name when the button's visible text might not fully convey its purpose (e.g., an icon ____'ly button).
 - Avoid aria-label if the button already has sufficient visible text.



Would you like me to add any additional features or make any modifications to the component?

(i) Claude does not have the ability to run the code it generates yet.

give me the code for an accessible button, I didn't ask anything about react

```
Here's the HTML and CSS for an accessible button:
 html
     type="button"
     aria-label="Description of what the button does"
     class="button"
     disabled="false">
     Button Text
 </button>
                                                                                   🖺 Сору
 CSS
  .button {
     /* Base styles */
     padding: 8px 16px;
     border-radius: 4px;
     font-size: 16px;
     background-color: #2563eb;
     color: white:
```

Reply to Claude...

An accessible button:

<button> Send </button>

More details:

HTML Hell post by Léonie Watson

Talk to your team

"It's a pain to design/implement"

- Start learning yesterday
- Ask for training, knowledge sharing
- Ask for professional trainings and guidance

Learn best practices

1. Use enough color contrast



powered by WebAIM

Styles: OFF ON

Details




















22 X Very low contrast








- □ **A** 1 Alerts
- □ **②** 7 Features
- □ ♣ 18 Structural Elements
- □ 8 ARIA




Simple yet flexible JavaScript charting library for the modern web







GitHub



Colors plugin



Default palette of Chart.js brand colors is

available as a built-in time-saving zeroation plugin. Code

- Recommended: Above 4.5:1 (Lower than: 21:1)
- Contrast checking tools:
 - Figma Contrast plugin
 - WebAIM Contrast Checker
 - WebAIM Link Contrast Checker

- APCA (Accessibility Perception Contrast Algorithm)
 - Part of WCAG 3 still in draft
 - Follow the standard in the guidelines/law
 - Don't use officially, yet!
 - If used, also check the contrast according to WCAG 2.1

2. Add alt text

Speaking of text...

Text is great because it can be:

- selected
- copied
- resized
- translated
- converted to speech (screen reader)
- converted to braille



Cafe Bar Hotel in legal dispute with Alpine Hotel



- "Context matters" Writing Good Alt Text Chrome for Developers
- "Imagine that you're reading the web page aloud over the phone to someone" - <u>W3C - Images - Tips & Tricks</u>
- Add intentionally empty alt text for decorative images (alt="")

3. Label buttons, links & form input labels

Buttons & links





Bookmark







Buttons & links

- <button>Bookmark</button>
- Github

Buttons & links

- A But if you must omit the text, pick one:
 - 1. visually hidden/screen reader only text inside the button/link Bookmark
 - 2. aria-labelledby <button aria-labelledby="my-id"></button>
 - 3. aria-label <a aria-label="Bookmark" href="...">
 - 4. communicate **function** through alt text on icon image = "search", not "magnifying glass"

Form input labels

Whenever possible, do this:

Input Label

Placeholder text...



Name

(no label, placeholder disappears on click, low color contrast)

Form input labels



Label element linked to input by unique ID:

```
<label for="my-input">Name</label>
<input id="my-input">
```

Form input labels



But if you must omit the label, pick one:

1. label element linked to input by unique ID + visually hidden label

```
<label for="my-input" class="sr-only">Name</label>
<input id="my-input">
```

2. aria-labelledby

```
<input aria-labelledby="my-id">
```

3. aria-label <input aria-label="Name">

4. Define page language



1. So that **translation services** can work properly



2. So that **screen readers** can speak in the right language with the right pronunciation rules

5. Decouple design from semantics













Get the app


Join now Sign in

Welcome to your professional community



By clicking Continue to join or sign in, you agree to LinkedIn's User Agreement, Privacy Policy, and Cookie Policy.

New to LinkedIn? Join now




Explore collaborative articles

We're unlocking community knowledge in a new way. Experts add insights directly into each






Make the most of your professional life




Looking to create a page for a business? Get help



Go anywhere with Uber







Sign in to drive & deliver → Sign in to ride →

Sign in to order delivery sign in to your Uber for Business account

Looks like a button = <button>?

Not always! Could be a link.

Button <button></button>	Link <a>		
Triggers an action (Add to cart, Edit, Close, Submit)	Navigates to a new page / a section on the current page		
Special states: disabled	Special states: link and visited		
-	URL in the bottom-left corner of the browser window		
Cursor: default	Cursor: pointer		

And for the love of God, don't nest buttons and links!


X Don't do this:

 <button>Sign In</button>

Don't use headings to change font size!

Scale Category	Typeface	Weight	Size	Case	Letter spacing
H1	Roboto	Light	96	Sentence	-1.5
H2	Roboto	Light	60	Sentence	-0.5
H3	Roboto	Regular	48	Sentence	0
H4	Roboto	Regular	34	Sentence	0.25
H5	Roboto	Regular	24	Sentence	0
H6	Roboto	Medium	20	Sentence	0.15

Headings are *structural* elements!



- No need to style heading elements directly
- Create *utility classes* to style headings
 - o title-1

 - o title-6

Conclusion



- <u>Meryl Evans</u>

- X Start ASAP
- Learn, practice, fail fast
- Progress over perfection
- → Shift left
- Work together!
- Challenge the company mindset
- Legal risk starting June

E (Free) Resources

- The A11y Project Checklist
- WebAIM Checklist
- <u>HeadingsMap</u> (headings viewer extension)
- Axe Dev Tools (a11y checker browser extension)
- WAVE (a11y checker browser extension)
- NVDA (screen reader)
- Microsoft Voice Access (voice access tool)
- Accessibility essentials every front-end developer should know



Image credits

- W3 Screenshots from perspective videos
- FreePik WWW graphic
- Unsplash Braille display

Slides: dub.sh/a11y2025



Teodora **Chiosa**chiosa.dev

Made with **v** in Marp for VS Code